Flattened Locating Pins, Style C

Item description/product images

Description

Material:
Tool steel.

Version:
Hardened and ground.

Note:
The flattened style C can be used to bridge tolerances in hole spacing or to secure the part to be positioned in one direction only.
For similar pins, see K0352, K0353, K0354 and K0355.

Drawing reference:
Style C: Flattened locating pin

© KIPP Inc.

Flattened Locating Pins, Style C

Drawings



Order No.	style	Version 1	B	D1	D2	H	H1	H2	H3	T
K0293.406	C	short	1	6	4	7	6	1,2	4	0,02
K0293.408	C	short	1,6	8	6	10	9	1,6	6	0,02
K0293.410	C	short	2,5	10	6	10	9	1,6	6	0,02
K0293.412	C	short	2,5	12	6	10	9	1,6	6	0,02
K0293.416	C	short	3,5	16	8	13	12	2	8	0,04
K0293.420	C	short	5	20	12	15	18	2	9	0,04
K0293.425	C	short	5	25	12	15	18	2,5	9	0,04
K0293.506	C	long	1	6	4	12	6	1,2	4	0,02
K0293.508	C	long	1,6	8	6	16	9	1,6	6	0,02
K0293.510	C	long	2,5	10	6	18	9	1,6	6	0,02
K0293.512	C	long	2,5	12	6	18	9	1,6	6	0,02
K0293.516	C	long	3,5	16	8	22	12	2	8	0,04
K0293.520	C	long	5	20	12	25	18	2	9	0,04
K0293.525	C	long	5	25	12	25	18	2,5	9	0,04

© KIPP Inc.

Flattened Locating Pins, Style C

© KIPP Inc.