

## Adjustable handles, steel with external thread, threaded pin black oxidized steel - inch

Item description/product images

INCH  
Parts



lift to  
disengage



### Description

#### Material:

Handle steel 1.0401.

All other steel parts grade 5.8.

#### Version:

Handle powder-coated, fine-textured structure.

Steel parts black oxidized.

#### Note:

Standard colors are:

ruby red RAL 3003.


Where  $L \geq 60$  mm the thread length is always 60 mm.

#### Drawing reference:

1) flat point DIN EN ISO 4753

## Adjustable handles, steel with external thread, threaded pin black oxidized steel - inch

Drawings



Order No.	Color	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K0752.1A027X10	ruby red RAL3003	1	10-24	10	13	14	24,5	4	14,5	31	34	40	47	7	16	10
K0752.1A027X15	ruby red RAL3003	1	10-24	10	13	14	24,5	4	14,5	31	34	40	47	7	16	15
K0752.1A027X20	ruby red RAL3003	1	10-24	10	13	14	24,5	4	14,5	31	34	40	47	7	16	20
K0752.1A027X25	ruby red RAL3003	1	10-24	10	13	14	24,5	4	14,5	31	34	40	47	7	16	25
K0752.1A027X30	ruby red RAL3003	1	10-24	10	13	14	24,5	4	14,5	31	34	40	47	7	16	30
K0752.1A027X35	ruby red RAL3003	1	10-24	10	13	14	24,5	4	14,5	31	34	40	47	7	16	35
K0752.1A027X40	ruby red RAL3003	1	10-24	10	13	14	24,5	4	14,5	31	34	40	47	7	16	40
K0752.1A027X45	ruby red RAL3003	1	10-24	10	13	14	24,5	4	14,5	31	34	40	47	7	16	45
K0752.1A027X50	ruby red RAL3003	1	10-24	10	13	14	24,5	4	14,5	31	34	40	47	7	16	50
K0752.1A127X10	ruby red RAL3003	1	10-32	10	13	14	24,5	4	14,5	31	34	40	47	7	16	10
K0752.1A127X15	ruby red RAL3003	1	10-32	10	13	14	24,5	4	14,5	31	34	40	47	7	16	15
K0752.1A127X20	ruby red RAL3003	1	10-32	10	13	14	24,5	4	14,5	31	34	40	47	7	16	20
K0752.1A127X25	ruby red RAL3003	1	10-32	10	13	14	24,5	4	14,5	31	34	40	47	7	16	25
K0752.1A127X30	ruby red RAL3003	1	10-32	10	13	14	24,5	4	14,5	31	34	40	47	7	16	30
K0752.1A127X35	ruby red RAL3003	1	10-32	10	13	14	24,5	4	14,5	31	34	40	47	7	16	35
K0752.1A127X40	ruby red RAL3003	1	10-32	10	13	14	24,5	4	14,5	31	34	40	47	7	16	40
K0752.1A127X45	ruby red RAL3003	1	10-32	10	13	14	24,5	4	14,5	31	34	40	47	7	16	45
K0752.1A127X50	ruby red RAL3003	1	10-32	10	13	14	24,5	4	14,5	31	34	40	47	7	16	50
K0752.1A227X10	ruby red RAL3003	1	1/4-20	10	13	14	24,5	4	14,5	31	34	40	47	7	16	10
K0752.1A227X15	ruby red RAL3003	1	1/4-20	10	13	14	24,5	4	14,5	31	34	40	47	7	16	15
K0752.1A227X20	ruby red RAL3003	1	1/4-20	10	13	14	24,5	4	14,5	31	34	40	47	7	16	20
K0752.1A227X25	ruby red RAL3003	1	1/4-20	10	13	14	24,5	4	14,5	31	34	40	47	7	16	25
K0752.1A227X30	ruby red RAL3003	1	1/4-20	10	13	14	24,5	4	14,5	31	34	40	47	7	16	30
K0752.1A227X35	ruby red RAL3003	1	1/4-20	10	13	14	24,5	4	14,5	31	34	40	47	7	16	35
K0752.1A227X40	ruby red RAL3003	1	1/4-20	10	13	14	24,5	4	14,5	31	34	40	47	7	16	40
K0752.1A227X45	ruby red RAL3003	1	1/4-20	10	13	14	24,5	4	14,5	31	34	40	47	7	16	45
K0752.1A227X50	ruby red RAL3003	1	1/4-20	10	13	14	24,5	4	14,5	31	34	40	47	7	16	50
K0752.2A227X15	ruby red RAL3003	2	1/4-20	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	15
K0752.2A227X20	ruby red RAL3003	2	1/4-20	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	20
K0752.2A227X25	ruby red RAL3003	2	1/4-20	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	25
K0752.2A227X30	ruby red RAL3003	2	1/4-20	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	30
K0752.2A227X35	ruby red RAL3003	2	1/4-20	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	35
K0752.2A227X40	ruby red RAL3003	2	1/4-20	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	40
K0752.2A227X45	ruby red RAL3003	2	1/4-20	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	45

## Adjustable handles, steel with external thread, threaded pin black oxidized steel - inch

Order No.	Color	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K0752.2A227X50	ruby red RAL3003	2	1/4-20	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	50
K0752.2A227X55	ruby red RAL3003	2	1/4-20	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	55
K0752.2A227X60	ruby red RAL3003	2	1/4-20	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	60
K0752.2A327X15	ruby red RAL3003	2	5/16-18	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	15
K0752.2A327X20	ruby red RAL3003	2	5/16-18	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	20
K0752.2A327X25	ruby red RAL3003	2	5/16-18	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	25
K0752.2A327X30	ruby red RAL3003	2	5/16-18	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	30
K0752.2A327X35	ruby red RAL3003	2	5/16-18	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	35
K0752.2A327X40	ruby red RAL3003	2	5/16-18	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	40
K0752.2A327X45	ruby red RAL3003	2	5/16-18	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	45
K0752.2A327X50	ruby red RAL3003	2	5/16-18	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	50
K0752.2A327X55	ruby red RAL3003	2	5/16-18	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	55
K0752.2A327X60	ruby red RAL3003	2	5/16-18	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	60
K0752.2A427X15	ruby red RAL3003	2	3/8-16	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	15
K0752.2A427X20	ruby red RAL3003	2	3/8-16	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	20
K0752.2A427X25	ruby red RAL3003	2	3/8-16	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	25
K0752.2A427X30	ruby red RAL3003	2	3/8-16	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	30
K0752.2A427X35	ruby red RAL3003	2	3/8-16	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	35
K0752.2A427X40	ruby red RAL3003	2	3/8-16	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	40
K0752.2A427X45	ruby red RAL3003	2	3/8-16	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	45
K0752.2A427X50	ruby red RAL3003	2	3/8-16	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	50
K0752.2A427X55	ruby red RAL3003	2	3/8-16	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	55
K0752.2A427X60	ruby red RAL3003	2	3/8-16	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	60
K0752.3A327X15	ruby red RAL3003	3	5/16-18	16	21	22	37	10	24	54,5	58,5	80	91	11	22	15
K0752.3A327X20	ruby red RAL3003	3	5/16-18	16	21	22	37	10	24	54,5	58,5	80	91	11	22	20
K0752.3A327X25	ruby red RAL3003	3	5/16-18	16	21	22	37	10	24	54,5	58,5	80	91	11	22	25
K0752.3A327X30	ruby red RAL3003	3	5/16-18	16	21	22	37	10	24	54,5	58,5	80	91	11	22	30
K0752.3A327X35	ruby red RAL3003	3	5/16-18	16	21	22	37	10	24	54,5	58,5	80	91	11	22	35
K0752.3A327X40	ruby red RAL3003	3	5/16-18	16	21	22	37	10	24	54,5	58,5	80	91	11	22	40
K0752.3A327X45	ruby red RAL3003	3	5/16-18	16	21	22	37	10	24	54,5	58,5	80	91	11	22	45
K0752.3A327X50	ruby red RAL3003	3	5/16-18	16	21	22	37	10	24	54,5	58,5	80	91	11	22	50
K0752.3A327X55	ruby red RAL3003	3	5/16-18	16	21	22	37	10	24	54,5	58,5	80	91	11	22	55
K0752.3A327X60	ruby red RAL3003	3	5/16-18	16	21	22	37	10	24	54,5	58,5	80	91	11	22	60
K0752.3A427X15	ruby red RAL3003	3	3/8-16	16	21	22	37	10	24	54,5	58,5	80	91	11	22	15
K0752.3A427X20	ruby red RAL3003	3	3/8-16	16	21	22	37	10	24	54,5	58,5	80	91	11	22	20
K0752.3A427X25	ruby red RAL3003	3	3/8-16	16	21	22	37	10	24	54,5	58,5	80	91	11	22	25
K0752.3A427X30	ruby red RAL3003	3	3/8-16	16	21	22	37	10	24	54,5	58,5	80	91	11	22	30
K0752.3A427X35	ruby red RAL3003	3	3/8-16	16	21	22	37	10	24	54,5	58,5	80	91	11	22	35
K0752.3A427X40	ruby red RAL3003	3	3/8-16	16	21	22	37	10	24	54,5	58,5	80	91	11	22	40
K0752.3A427X45	ruby red RAL3003	3	3/8-16	16	21	22	37	10	24	54,5	58,5	80	91	11	22	45
K0752.3A427X50	ruby red RAL3003	3	3/8-16	16	21	22	37	10	24	54,5	58,5	80	91	11	22	50
K0752.3A427X55	ruby red RAL3003	3	3/8-16	16	21	22	37	10	24	54,5	58,5	80	91	11	22	55
K0752.3A427X60	ruby red RAL3003	3	3/8-16	16	21	22	37	10	24	54,5	58,5	80	91	11	22	60
K0752.4A427X20	ruby red RAL3003	4	3/8-16	19	27	27,5	43	10	27	63	67,5	95	109	13	24	20
K0752.4A427X25	ruby red RAL3003	4	3/8-16	19	27	27,5	43	10	27	63	67,5	95	109	13	24	25
K0752.4A427X30	ruby red RAL3003	4	3/8-16	19	27	27,5	43	10	27	63	67,5	95	109	13	24	30
K0752.4A427X35	ruby red RAL3003	4	3/8-16	19	27	27,5	43	10	27	63	67,5	95	109	13	24	35
K0752.4A427X40	ruby red RAL3003	4	3/8-16	19	27	27,5	43	10	27	63	67,5	95	109	13	24	40
K0752.4A427X45	ruby red RAL3003	4	3/8-16	19	27	27,5	43	10	27	63	67,5	95	109	13	24	45
K0752.4A427X50	ruby red RAL3003	4	3/8-16	19	27	27,5	43	10	27	63	67,5	95	109	13	24	50
K0752.4A427X55	ruby red RAL3003	4	3/8-16	19	27	27,5	43	10	27	63	67,5	95	109	13	24	55
K0752.4A427X60	ruby red RAL3003	4	3/8-16	19	27	27,5	43	10	27	63	67,5	95	109	13	24	60
K0752.4A527X70	ruby red RAL3003	4	1/2-13	19	27	27,5	43	10	27	63	67,5	95	109	13	24	70
K0752.4A427X80	ruby red RAL3003	4	3/8-16	19	27	27,5	43	10	27	63	67,5	95	109	13	24	80
K0752.4A427X90	ruby red RAL3003	4	3/8-16	19	27	27,5	43	10	27	63	67,5	95	109	13	24	90
K0752.4A527X20	ruby red RAL3003	4	1/2-13	19	27	27,5	43	10	27	63	67,5	95	109	13	24	20
K0752.4A527X25	ruby red RAL3003	4	1/2-13	19	27	27,5	43	10	27	63	67,5	95	109	13	24	25
K0752.4A527X30	ruby red RAL3003	4	1/2-13	19	27	27,5	43	10	27	63	67,5	95	109	13	24	30
K0752.4A527X35	ruby red RAL3003	4	1/2-13	19	27	27,5	43	10	27	63	67,5	95	109	13	24	35
K0752.4A527X40	ruby red RAL3003	4	1/2-13	19	27	27,5	43	10	27	63	67,5	95	109	13	24	40
K0752.4A527X45	ruby red RAL3003	4	1/2-13	19	27	27,5	43	10	27	63	67,5	95	109	13	24	45
K0752.4A527X50	ruby red RAL3003	4	1/2-13	19	27	27,5	43	10	27	63	67,5	95	109	13	24	50
K0752.4A527X55	ruby red RAL3003	4	1/2-13	19	27	27,5	43	10	27	63	67,5	95	109	13	24	55

## Adjustable handles, steel with external thread, threaded pin black oxidized steel - inch

Order No.	Color	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K0752.4A527X60	ruby red RAL3003	4	1/2-13	19	27	27,5	43	10	27	63	67,5	95	109	13	24	60
K0752.4A527X70	ruby red RAL3003	4	1/2-13	19	27	27,5	43	10	27	63	67,5	95	109	13	24	70
K0752.4A527X80	ruby red RAL3003	4	1/2-13	19	27	27,5	43	10	27	63	67,5	95	109	13	24	80
K0752.4A527X90	ruby red RAL3003	4	1/2-13	19	27	27,5	43	10	27	63	67,5	95	109	13	24	90
K0752.5A527X25	ruby red RAL3003	5	1/2-13	23	31	32	49	12	31,5	73	77,5	110	126	15	26	25
K0752.5A527X30	ruby red RAL3003	5	1/2-13	23	31	32	49	12	31,5	73	77,5	110	126	15	26	30
K0752.5A527X35	ruby red RAL3003	5	1/2-13	23	31	32	49	12	31,5	73	77,5	110	126	15	26	35
K0752.5A527X40	ruby red RAL3003	5	1/2-13	23	31	32	49	12	31,5	73	77,5	110	126	15	26	40
K0752.5A527X45	ruby red RAL3003	5	1/2-13	23	31	32	49	12	31,5	73	77,5	110	126	15	26	45
K0752.5A527X50	ruby red RAL3003	5	1/2-13	23	31	32	49	12	31,5	73	77,5	110	126	15	26	50
K0752.5A527X55	ruby red RAL3003	5	1/2-13	23	31	32	49	12	31,5	73	77,5	110	126	15	26	55
K0752.5A527X60	ruby red RAL3003	5	1/2-13	23	31	32	49	12	31,5	73	77,5	110	126	15	26	60
K0752.5A527X70	ruby red RAL3003	5	1/2-13	23	31	32	49	12	31,5	73	77,5	110	126	15	26	70
K0752.5A527X80	ruby red RAL3003	5	1/2-13	23	31	32	49	12	31,5	73	77,5	110	126	15	26	80
K0752.5A527X90	ruby red RAL3003	5	1/2-13	23	31	32	49	12	31,5	73	77,5	110	126	15	26	90
K0752.5A627X25	ruby red RAL3003	5	5/8-11	23	31	32	49	12	31,5	73	77,5	110	126	15	26	25
K0752.5A627X30	ruby red RAL3003	5	5/8-11	23	31	32	49	12	31,5	73	77,5	110	126	15	26	30
K0752.5A627X35	ruby red RAL3003	5	5/8-11	23	31	32	49	12	31,5	73	77,5	110	126	15	26	35
K0752.5A627X40	ruby red RAL3003	5	5/8-11	23	31	32	49	12	31,5	73	77,5	110	126	15	26	40
K0752.5A627X45	ruby red RAL3003	5	5/8-11	23	31	32	49	12	31,5	73	77,5	110	126	15	26	45
K0752.5A627X50	ruby red RAL3003	5	5/8-11	23	31	32	49	12	31,5	73	77,5	110	126	15	26	50
K0752.5A627X55	ruby red RAL3003	5	5/8-11	23	31	32	49	12	31,5	73	77,5	110	126	15	26	55
K0752.5A627X60	ruby red RAL3003	5	5/8-11	23	31	32	49	12	31,5	73	77,5	110	126	15	26	60
K0752.5A627X70	ruby red RAL3003	5	5/8-11	23	31	32	49	12	31,5	73	77,5	110	126	15	26	70
K0752.5A627X80	ruby red RAL3003	5	5/8-11	23	31	32	49	12	31,5	73	77,5	110	126	15	26	80
K0752.5A627X90	ruby red RAL3003	5	5/8-11	23	31	32	49	12	31,5	73	77,5	110	126	15	26	90